

CLIENT DEVELOPMENT EVALUATION REPORT  
(CDER) UPDATE BULLETIN

---

General Questions

- Q: Page VI. 12.2 shows 070.0 as the IDC-9/CM code for Viral Hepatitis B. Is that a typographical error?
- A. Yes, it is a typo. 070.0 is for Viral Hepatitis A with Hepatic Coma. 070.3 is the correct code. Revised Manual pages VI. 12.2 through VI. 12.5 (January 1989) are attached to replace VI. 12.2 through VI. 12.5 (March 1986).

CLIENT DEVELOPMENT EVALUATION REPORT  
(CDER) UPDATE BULLETIN

---

General Instructions

Q: Can CDER be updated from DSM III to DSM III-R?

A. Yes. Attached are updated CDER Manual pages to reflect this change.

Replace

Pages VI. 4.6-VI. 4.7 (March 1986) with Pages VI. 4.6-VI. 4.7  
(January 1989)

Pages VI. 11.1-VI. 11.10 (March 1986) with Pages VI. 11.1-  
11.24 (January 1989)

Page VI. 12.1 (March 1986 with Page VI. 12.1 January 1989)

Page VI. 20.10 (March 1986 with Page VI. 20.10 (January  
1989)

## GENERAL INFORMATION

**Source of Diagnostic Data:** The diagnostic information for this form should be provided primarily by the client's physician and psychologist. The medical diagnoses shall be made by the physician. Diagnoses of mental disorders shall be made by those persons qualified to utilize the DSM-III-R system. Other information required for this form should be provided by persons most qualified to provide accurate data.

**Multiple Diagnoses:** Information on the various developmental disabilities--mental retardation, cerebral palsy, etc.--is arranged in separated sections on the form. For each section, information on "etiology" or "contributing factors" is requested, using ICD-9-CM codes. Two five-digit spaces are allotted for the ICD-9-CM coding of each disability. This permits entering both the major or primary cause and a secondary or contributing cause for each disability. When a client has more than one developmental disability it is possible that the same causal factor(s) have been found to be associated with the several conditions. For example, a premature infant with anoxic brain damage might have mental retardation, cerebral palsy and epilepsy. The ICD-9-CM codes for the prematurity and anoxic brain damage would then be entered for each of the three disabilities.

Coding of "Risk Factors": In order to provide more precise information for prevention planning, a series of "risk factors," or factors that could contribute to or be associated with the occurrence of developmental disabilities have been identified. The factors, which include teenage pregnancy, accidents of near drowning, family history of mental retardation, and so forth, have been developed to permit classification of special conditions associated with the occurrence of developmental disabilities. The section on Risk Factors, items 35-49, follows the sections on the specific developmental disabilities.

Organization of Manual: In the following pages the various developmental disabilities and other diagnostic information are presented sequentially, in a series of sections that correspond to the items on the form. For each item within a section, a description of the item or concept is given first, followed by coding instructions and, usually, an example

Item numbers given in the left margin in the manual refer to item numbers on the revised CDER form. Section title, page and date are provided on the bottom of each page to facilitate subsequent revisions of individual pages or sections.

---

## MENTAL DISORDERS

---

The items in this section indicate whether or not the client has a mental disorder in addition to a developmental disability. A mental disorder is a clinically significant behavioral or psychological syndrome that occurs in an individual which is typically associated with a painful symptom, an impairment of functioning, or a failure of adjustment. The disorder may be either functional or organic in cause and is assumed to exist within the individual and in his/her personal relationships. Such a disorder cannot be limited to a conflict between the individual and society.

When rating the client:

Use the diagnostic criteria for Mental Disorder in the Diagnostic and Statistical Manual of Mental Disorders (DSM-III-R).

Complete this section only if a psychological or psychiatric diagnosis of a mental disorder has been made by a qualified professional.

Enter significant Axis I and Axis II condition(s) in Items 50a-53a, if applicable

Axis I comprises the entire classification of mental disorders as well as conditions not attributable to mental disorders that are an important focus for treatment. Axis II involves personality disorders and the specific developmental disorders. The client may have disorders in both axes

NOTE: Although Autism is classified as a mental disorder, it should not be coded here. If the client has a diagnosis of Autism, it should be addressed in the Autism section above, items 23-26, rather than here.

The mental disorder diagnosis(es) is to be made by a qualified psychologist or psychiatrist, or by other qualified persons who have been trained to do diagnoses of mental disorders (e.g., physicians, Licensed Clinical Social Workers.)

50a.-53a. TYPE OF MENTAL DISORDER (DSM-III-R CODE)

These items indicate the types of mental disorders that client may have, as set forth in DSM-III-R.

It is important that clients with a developmental disability and a mental disorder ("dual diagnosis") be coded in both Developmental Disabilities Section and the Mental Disorders Section Items 11-34b and 50a-53c, respectively). However, do not code the client's developmental disability diagnosis in this section. As the client's developmental disability been coded in previous items, code here only those specific mental disorders that meet the criteria set forth in DSM-III-R. Please note that this includes Autism: as Autism is a developmental disability and will have been coded in items 23-26, do not enter Autism in the mental disorder section.

Only Axes I and II are to be entered on CDER.

When coding Type of Mental Disorder:

The Mental Disorders Section of CDER should be used to enter mental disorders only when the client's record indicates that he/she has been evaluated by a qualified professional who has determined, in writing, that the client has a

psychiatric disorder and who has provided a psychiatric diagnosis of that disorder. Undiagnosed "behavior problems" do not constitute a psychiatric diagnosis.

If the client has a mental disorder(s), enter the appropriate DSM-III-R code and complete the respective "b" (Date of Last Evaluation) and "c" (Condition Impact items for the particular mental disorder recorded in the "a" Axis column). In other words, if an entry has been made in 50a and 52a, then Items 50b and c and 52b and c should be completed.

If the client has no psychiatric diagnosis, enter "000.00" in 50a and leave all other items in the Mental Disorder section blank.

If two diagnoses are made on either Axis, code the most significant condition requiring treatment as the first diagnostic code within the Axis.

If the diagnosis is deferred on either Axis I or Axis II, code as "799.90." NOTE: Mental disorder diagnoses are not to be deferred for longer than one year.

If there is a diagnosis for Axis I but no Axis II diagnosis, enter the appropriate DSM III-R code under Axis I and enter code "V71.09" under Axis II. Conversely, if there is an Axis II diagnosis but no Axis I diagnosis, code Axis I as "V71.09" and code the appropriate DSM III-R diagnosis under Axis II. Other codes beginning with a "V" will rarely be the most appropriate code

Following are examples of coding Items 50a-53a.

Examples of Coding Type of Mental Disorder

1. Following is an example of coding for a person with an adjustment disorder with mixed emotional features. Additionally, the person has a personality disorder which is characterized as a specific type of personality disorder.

NOTE: DSM-III classification Personality Disorder, NEC (Not Elsewhere Classified), characterized as atypical and coded 301.89, has not been continued in DSM-III-R.

Type of Mental Disorder

Adjustment Disorder

Axis I

50a. 3|0|9 o 2|8

51a.   |  |  |  |   o   |  |  |  

(Personality Disorder, Not Otherwise Specified)

Axis II

 3 | 0 | 1  o  9 | 0 

  |  |  |   o   |  |  

2. This example represents a client with the same personality disorder as the one above, but he/she does not have a mental disorder under Axis I.

Type of Mental Disorder

Axis I

 V | 7 | 1  o  0 | 9 

  |  |  |   o   |  |  

Axis II

 3 | 0 | 1  o  9 | 0 

  |  |  |   o   |  |  

50b.-53b. DATE OF LAST EVALUATION

Date of Last Evaluation is the date on which the client was most recently assessed as having the mental disorder(s) coded under items 50a-53a. Enter the two-digit month and two-digit year date on which the client was assessed as having the mental disorder.

If the client has no mental disorder, this item should be left blank

If the client has a mental disorder but the date is not in the client's records, or is otherwise not available, enter 9999 in the date item

Examples of Coding Date of Last Evaluation

- 1 This client was last assessed as having the above mental disorders on March 21, 1985

Date of Last Evaluation

(Axis I)

50b. 

0	3	8	5
m	m	y	y

51b. 

m	m	y	y

Date of Last Evaluation

(Axis II)

52b. 

0	3	8	5
m	m	y	y

53b. 

m	m	y	y

2. In this example, the records showed that this client was diagnosed as having a personality disorder, but the date on which the client was assessed as having the disorder was illegible in the client's records

<u>Type of Mental Disorder</u>	<u>Date of Last Evaluation</u>
(Axis I)	(Axis I)
50a. <u> 3 0 9 o 2 8 </u>	50b. <u> 0 3 8 5 </u>
51a. <u>       o     </u>	51b. <u>         </u>
Axis II	(Axis II)
52a. <u> 3 0 1 o 9 0 </u>	52b. <u> 9 9 9 9 </u>
53a. <u>       o     </u>	53b. <u>         </u>

50c.-53c. CONDITION IMPACT

Condition Impact refers to the extent or degree to which the diagnosed mental disorder affects the level of supervision/care required and/or the program placement of the client. Enter the appropriate code, as shown below, in one of the spaces provided.

Condition Impact Codes

- 0 No evidence of impairment
- 1 Mild . . Condition requires some special attention when planning for the client's placement and/or some extra supervision/care
- 2 Moderate . Condition has a major impact upon the ability to obtain an appropriate placement for the client and/or requires a considerable amount of supervision/care
- 3 Severe . Condition is so substantial that it is exceedingly difficult to find an appropriate placement for the client and/or constant supervision/care is required
- 9 Condition suspected, impact undetermined

When coding Condition Impact:

If the client has no mental disorder, these items should be left blank

If the client has a mental disorder, but it does not have an affect upon supervision/care and/or program placement, use code "0"

Example of Coding Condition Impact

The following example shows the coding for the client described above where the impact that the adjustment disorder has on the level of supervision required is moderate and the impact that the personality disorder has on supervision required is mild.

Condition Impact (Axis I)

50c. |2|

51c. | |

Condition Impact (Axis II)

52c. |1|

53c. | |

The following pages identify codes for Mental Disorders for Axes I and II for CDER items 50a, 51a, 52a, and 53a. The description is the 24-character abbreviation specified by the American Hospital Association. The column headed by "Found" indicates the presence or absence of the disorder of the three diagnostic coding systems. A "9" indicates presence ICD-9-CM. A "3" indicates presence in DSM-III. An indicates presence in DSM-III-R. The last column highlights changes between DSM-III and DSM-III-R.

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
CDER ITEMS 50a, 51a, 52a, and 53a  
AVAILABLE EFFECTIVE JULY 1, 1988

CODE	DESCRIPTION 1/	ALTERNATE CODE ICD-9-CM	FOUND IN: 2/	NOTES, DSM-III-R
V1581	NONCOMPLIANCE W MED TRTM		9 1 R	
V4000	BORDERLINE INTELL FUNCT		9 R	NEW
V6110	MARITAL PROBLEM		9 1 R	
V6120	PARENT-CHILD PROBLEM		9 3 R	
V6180	OTHER SPEC FAM CIRCUMST		9 1 R	
V6220	OCCUPATIONAL PROBLEM		9 1 R	
V6230	ACADEMIC PROBLEM		9 1 R	
V6281	OTHER INTERPERSONAL PROB		9 3 R	
V6282	UNCOMPLICATED BEREAVEMENT		9 1 R	
V6288	BORDERLINE INTELL FUNCT	V6289	1	SEE V4000
V6289	PHASE OF LIFE PROBLEM		9 1 R	
V6520	MALINGERING		9 3 R	
V7101	ADULT ANTISOCIAL BEHAV		9 1 R	
V7102	CHILD-ADOL ANTISOCIAL BE		9 1 R	
V7109	NO DIAGNOSIS OR CONDIT		9 1 R	
29000	SENILE DEMENTIA UNCOMP		9 3 R	
29010	PRESENILE DEMENTIA UNCOM		9 3 R	
29011	PRESENILE DELIRIUM		9 3 R	
29012	PRESENILE DELUSIONS		9 3 R	
29013	PRESENILE DEPRESSION		9 3 R	
29020	SENILE DELUSIONS		9 3 R	
29021	SENILE DEPRESSION		9 3 R	
29030	SENILE DELIRIUM		9 3 R	
29040	ARTERIOSCLER DEMENT NOS		9 3 R	
29041	ARTERIOSCLER DELIRIUM		9 3 R	
29042	ARTERIOSCLER DELUSION		9 3 R	
29043	ARTERIOSCLER DEPRESSION		9 3 R	
29080	SENILE PSYCHOSIS NEC		9	
29090	SENILE PSYCHOT COND NOS		9	
29100	DELIRIUM TREMENS		9 3 R	
29110	ALCOHOL AMNESTIC SYND		9 3 R	
29120	ALCOHOLIC DEMENTIA NEC		9 3 R	
29121	ALCOHOLIC DEMENTIA MILD	29120	3	
29122	ALCOHOLIC DEMENTIA MODER	29120	3	
29123	ALCOHOLIC DEMENTIA SEVER	29120	3	
29130	ALCOHOL HALLUCINOSIS		9 3 R	
29140	PATHOLOGIC ALCOHOL INTOX		9 3 R	
29150	ALCOHOLIC JEALOUSY		9	
29180	ALCOHOLIC PSYCHOSIS NEC		9 3 R	
29190	ALCOHOLIC PSYCHOSIS NOS		9	
29200	DRUG WITHDRAWAL SYNDROME		9 3 R	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
29210	DRUG PARANOID/HALLUCINOS		9 .	
29211	DRUG PARANOID STATE		9 3 R	
29212	DRUG HALLUCINOSIS		9 3 R	
29220	PATHOLOGIC DRUG INTOX		9	
29281	DRUG-INDUCED DELIRIUM		9 3 R	
29282	DRUG-INDUCED DEMENTIA		9 3 R	
29283	DRUG AMNESTIC DISORDER		9 3 R	
29284	DRUG DEPRESSIVE SYNDROME		9 3 R	
29289	DRUG MENTAL DISORDER NEC		9 3 R	
29290	DRUG MENTAL DISORDER NOS		9 3 R	
29300	ACUTE DELIRIUM		9 3 R	
29310	SUBACUTE DELIRIUM		9	
29381	ORGANIC DELUSIONAL SYND		9 3 R	
29382	ORGANIC HALLUCINOSIS SYN		9 3 R	
29383	ORGANIC AFFECTIVE SYND		9 3 R	
29389	TRANSIENT ORG MENTAL NEC		9	
29390	TRANSIENT ORG MENTAL NOS		9	
29400	AMNESTIC SYNDROME		9 3 R	
29410	DEMENTIA IN OTH DISEASES		9 3 R	
29480	ORGANIC BRAIN SYND NEC		9 3 R	
29490	ORGANIC BRAIN SYND NOS		9	
29500	SIMPL SCHIZOPHREN-UNSPEC		9	
29501	SIMPL SCHIZOPHREN-SUBCHR		9	
29502	SIMPLE SCHIZOPHREN-CHR		9	
29503	SIMP SCHIZ-SUBCHR/EXACER		9	
29504	SIMPL SCHIZO-CHR/EXACERB		9	
29505	SIMPL SCHIZOPHREN/REMISS		9	
29510	HEBEPHRENIA-UNSPEC		9 3 R	
29511	HEBEPHRENIA-SUBCHRONIC		9 3 R	
29512	HEBEPHRENIA-CHRONIC		9 3 R	
29513	HEBEPHREN-SUBCHR/EXACERB		9 3 R	
29514	HEBEPHRENIA-CHR/EXACERB		9 3 R	
29515	HEBEPHRENIA-REMISSION		9 3 R	
29520	CATATONIA-UNSPEC		9 3 R	
29521	CATATONIA-SUBCHRONIC		9 3 R	
29522	CATATONIA-CHRONIC		9 3 R	
29523	CATATONIA-SUBCHR/EXACERB		9 3 R	
29524	CATATONIA-CHR/EXACERB		9 3 R	
29525	CATATONIA-REMISSION		9 3 R	
29530	PARANOID SCHIZO-UNSPEC		9 3 R	
29531	PARANOID SCHIZO-SUBCHR		9 3 R	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
29532	PARANOID SCHIZO-CHRONIC		9 3 R	
29533	PARAN SCHIZO-SUBCHR/EXAC		9 3 R	
29534	PARAN SCHIZO-CHR/EXACERB		9 3 R	
29535	PARANOID SCHIZO-REMISS		9 3 R	
29540	AC SCHIZOPHRENIA-UNSPEC		9 3 R	
29541	AC SCHIZOPHRENIA-SUBCHR		9	
29542	AC SCHIZOPHRENIA-CHR		9	
29543	AC SCHIZO-SUBCHR/EXACERB		9	
29544	AC SCHIZOPHR-CHR/EXACERB		9	
29545	AC SCHIZOPHRENIA-REMISS		9	
29550	LATENT SCHIZOPHREN-UNSP		9	
29551	LAT SCHIZOPHREN-SUBCHR		9	
29552	LATENT SCHIZOPHREN-CHR		9	
29553	LAT SCHIZO-SUBCHR/EXACER		9	
29554	LATENT SCHIZO-CHR/EXACER		9	
29555	LAT SCHIZOPHREN-REMISS		9	
29560	RESID SCHIZOPHREN-UNSP		9 3 R	
29561	RESID SCHIZOPHREN-SUBCHR		9 3 R	
29562	RESIDUAL-SCHIZOPHREN-CHR		9 3 R	
29563	RESID SCHIZO-SUBCHR/EXAC		9 3 R	
29564	RESID SCHIZO-CHR/EXACERB		9 3 R	
29565	RESID SCHIZOPHREN-REMISS		9 3 R	
29570	SCHIZOAFFECTIVE-UNSPEC		9 3 R	
29571	SCHIZOAFFECTIVE-SUBCHR		9	
29572	SCHIZOAFFECTIVE-CHRONIC		9	
29573	SCHIZOAF-SUBCHR/EXACER		9	
29574	SCHIZOAFFECT-CHR/EXACER		9	
29575	SCHIZOAFFECTIVE-REMISS		9	
29580	SCHIZOPHRENIA NEC-UNSPEC		9	
29581	SCHIZOPHRENIA NEC-SUBCHR		9	
29582	SCHIZOPHRENIA NEC-CHR		9	
29583	SCHIZO NEC-SUBCHR/EXACER		9	
29584	SCHIZO NEC-CHR/EXACERB		9	
29585	SCHIZOPHRENIA NEC/REMISS		9	
29590	SCHIZOPHRENIA NOS-UNSPEC		9 3 R	
29591	SCHIZOPHRENIA NOS-SUBCHR		9 3 R	
29592	SCHIZOPHRENIA NOS-CHR		9 3 R	
29593	SCHIZO NOS-SUBCHR/EXACERB		9 3 R	
29594	SCHIZO NOS-CHR/EXACERB		9 3 R	
29595	SCHIZOPHRENIA NOS-REMISS		9 3 R	
29600	MANIC DISORDER-UNSPEC		9	
29601	MANIC DISORDER-MILD		9	
29602	MANIC DISORDER-MOD		9	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
29603	MANIC DISORDER-SEVERE		9	
29604	MANIC DIS-SEVERE W PSYCH		9	
29605	MANIC DIS-PARTIAL REMISS		9	
29606	MANIC DIS-FULL REMISSION		9	
29610	RECUR MANIC DIS-UNSPEC		9	
29611	RECUR MANIC DIS-MILD		9	
29612	RECUR MANIC DIS-MOD		9	
29613	RECUR MANIC DIS-SEVERE		9	
29614	RECUR MANIC-SVE W PSYCHO		9	
29615	RECUR MANIC-PART REMISS		9	
29616	RECUR MANIC-FULL REMISS		9	
29620	DEPRESS PSYCHOSIS-UNSPEC		9 3	
29621	DEPRESS PSYCHOSIS-MILD		9	
29622	DEPR PSYCHOSIS WO MELANC		9 3	
29623	DEPR PSYCHOSIS W MELANCH		9 3	
29624	DEPR PSYCHOS-SEV W PSYCH		9 3	
29625	DEPR PSYCHOS-PART REMISS		9	
29626	DEPR PSYCHOS-FULL REMISS		9 3	
29627	DEPR PSYCHOS-MOOD INCONG	29624	3	
29630	RECURR DEPR PSYCHOS-UNSP		9 3	
29631	RECURR DEPR PSYCHOS-MILD		9	
29632	REC DEPR PSYCH-WO MELANC		9 3	
29633	REC DEPR PSYCH-W MELANCH		9 3	
29634	REC DEPR PSYCH-PSYCHOTIC		9 3	
29635	RECUR DEPR PSYC-PART REM		9	
29636	RECUR DEPR PSYC-FULL REM		9 3	
29637	REC DEPR PSYCH-MOOD INCO	29634	3	
29640	BIPOL AFF, MANIC-UNSPEC		9 3	
29641	BIPOLAR AFF, MANIC-MILD		9	
29642	BIPOL AFF, MANIC-WO PSYC		9 3	
29643	BIPOL AFF, MANIC-SEVERE		9	
29644	BIPOL MANIC-SEV W PSYCH		9 3	
29645	BIPOL AFF MANIC-PART REM		9	
29646	BIPOL AFF MANIC-FULL REM		9 3	
29647	BIPOL MANIC-MOOD INCONGR	29644	3	
29650	BIPOLAR AFF, DEPR-UNSPEC		9 3	
29651	BIPOLAR AFFEC, DEPR-MILD		9	
29652	BIPOL AFF DEPR-WO MELANC		9 3	
29653	BIPOL AFF DEPR-W MELANCH		9 3	
29654	BIPOL DEPR-SEV W PSYCH		9 3	
29655	BIPOL AFF DEPR-PART REM		9	
29656	BIPOL AFF DEPR-FULL REM		9 3	
29657	BIPOL DEPR-MOOD INCONGR	29654	3	
29660	BIPOL AFF, MIXED-UNSPEC		9 3	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
CDER ITEMS 50a, 51a, 52a, and 53a  
AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
29661	BIPOLAR AFF, MIXED-MILD		9	
29662	BIPOL AFF, MIXED-WO PSYC		9 3	
29663	BIPOL AFF, MIXED-SEVERE		9	
29664	BIPOL MIXED-SEV W PSYCH		9 3	
29665	BIPOL AFF, MIX-PART REM		9	
29666	BIPOL AFF, MIX-FULL REM		9 3	
29667	BIPOL MIXED-MOOD INCONGR	29664	3	
29670	BIPOLAR AFFECTIVE NOS		9 3	
29680	MANIC-DEPRESSIVE NOS		9	
29681	ATYPICAL MANIC DISORDER		9	
29682	ATYPICAL DEPRESSIVE DIS		9 3	
29689	MANIC-DEPRESSIVE NEC		9	
29690	AFFECTIVE PSYCHOSIS NOS		9	
29699	AFFECTIVE PSYCHOSES NEC		9	
29700	PARANOID STATE, SIMPLE		9	
29710	PARANOIA		9 3 R	
29720	PARAPHRENIA		9	
29730	SHARED PARANOID DISORDER		9 3 R	
29780	PARANOID STATES NEC		9	
29790	PARANOID STATE NOS		9 3	
29800	REACT DEPRESS PSYCHOSIS		9	
29810	EXCITATIV TYPE PSYCHOSIS		9	
29820	REACTIVE CONFUSION		9	
29830	ACUTE PARANOID REACTION		9 3	
29840	PSYCHOGEN PARANOID PSYCH		9	
29880	BRIEF REACTIVE PSYCH NEC		9 3 R	
29890	PSYCHOSIS NOS		9 3 R	
29900	INFANTILE AUTISM-ACTIVE		9 3 R	AUTISTIC DIS
29901	INFANTILE AUTISM-RESID		9 3	
29910	DISINTEGR PSYCH-ACTIVE		9	
29911	DISINTEGR PSYCH-RESIDUAL		9	
29980	ATY PERV DEV DIS-ACTIVE		9 3 R	PERV DEV DIS NO
29981	ATY PERV DEV DIS-RESID		9 3	
29990	CH ONSET PER DEV DIS-ACT		9 3	
29991	CH ONSET PER DEV DIS-RES		9 3	
30000	ANXIETY DISORDER NOS		9 3 R	
30001	PANIC DISORDER		9 3 R	
30002	GENERALIZED ANXIETY DIS		9 3 R	
30009	ANXIETY STATE NEC		9	
30010	HYSTERIA NOS		9	
30011	CONVERSION DISORDER		9 3 R	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
30012	PSYCHOGENIC AMNESIA		9 3 R	
30013	PSYCHOGENIC FUGUE		9 3 R	
30014	MULTIPLE PERSONALITY		9 3 R	
30015	DISSOCIATIVE REACT NOS		9 3 R	
30016	FACTITIOUS ILL W SYMPTOM		9 3 R	
30019	FACTITIOUS ILL W PHY SYM		9 3 R	
30020	PHOBIA NOS		9	
30021	AGORAPHOBIA WITH PANIC		9 3 R	
30022	AGORAPHOBIA W/O PANIC		9 3 R	
30023	SOCIAL PHOBIA		9 3 R	
30029	ISOLATED PHOBIAS NEC		9 3 R	
30030	OBSESSIVE-COMPULSIVE DIS		9 3 R	
30040	NEUROTIC DEPRESSION		9 3 R	
30050	NEURASTHENIA		9	
30060	DEPERSONALIZATION SYND		9 3 R	
30070	HYPOCHONDRIASIS		9 3 R	
30071	ATYPICAL SOMATOFORM DIS	30070	3	
30080	NEUROTIC DISORDERS NEC		9	
30081	SOMATIZATION DISORDER		9 3 R	
30089	NEUROTIC DISORDERS NEC		9	
30090	UNSPEC MENTAL DIS-NONPSY		9 3 R	
30100	PARANOID PERSONALITY		9 3 R	
30110	AFFECTIV PERSONALITY NOS		9	
30111	CHRONIC HYPOMANIC PERSON		9	
30112	CHR DEPRESSIVE PERSON		9	
30113	CYCLOTHYMIC DISORDER		9 3 R	
30120	SCHIZOID PERSONALITY NOS		9 3 R	
30121	INTROVERTED PERSONALITY		9	
30122	SCHIZOTYPAL PERSONALITY		9 3 R	
30130	EXPLOSIVE PERSONALITY		9	
30140	COMPULSIVE PERSONALITY		9 3 R	
30150	HISTRIONIC PERSON NEC		9 3 R	
30151	CHR FACTITIOUS ILLNESS		9 3 R	
30159	HISTRIONIC PERSON NEC		9	
30160	DEPENDENT PERSONALITY		9 3 R	
30170	ANTISOCIAL PERSONALITY		9 3 R	
30180	OTHER PERSONALITY DIS		9 3	
30181	NARCISSISTIC PERSONALITY		9 3 R	
30182	AVOIDANT PERSONALITY		9 3 R	
30183	BORDERLINE PERSONALITY		9 3 R	
30184	PASSIVE-AGGRESSIV PERSON		9 3 R	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
30189	PERSONALITY DISORDER NEC		9 3	
30190	PERSONALITY DISORDER NOS		9 R	
30200	EGO-DYST HOMOSEXUALITY		9 3	
30210	ZOOPHILIA		9 3	
30220	PEDOPHILIA		9 3 R	
30230	TRANSVESTISM		9 3 R	
30240	EXHIBITIONISM		9 3 R	
30250	TRANSSEXUALISM NOS		9 3 R	
30251	TRANSSEXUALISM, ASEXUAL		9 3	
30252	TRANSSEXUAL, HOMOSEXUAL		9 3	
30253	TRANSSEX, HETEROSEXUAL		9 3	
30260	PSYCHOSEX IDENTIFY DIS		9 3 R	
30270	PSYCHOSEXUAL DYSFUNC NOS		9 3 R	
30271	INHIBITED SEXUAL DESIRE		9 3 R	
30272	INHIBITED SEX EXCITEMENT		9 3 R	
30273	INHIBITED FEMALE ORGASM		9 3 R	
30274	INHIBITED MALE ORGASM		9 3 R	
30275	PREMATURE EJACULATION		9 3 R	
30276	FUNCTIONAL DYSpareunia		9 3 R	
30279	PSYCHOSEXUAL DYSFUNC NEC		9 R	
30280	PSYCHOSEXUAL DIS NEC		9	
30281	FETISHISM		9 3 R	
30282	VOYEURISM		9 3 R	
30283	SEXUAL MASOCHISM		9 3 R	
30284	SEXUAL SADISM		9 3 R	
30285	GENDER IDENT DIS, ADULT		9 3 R	
30289	PSYCHOSEXUAL DIS NEC		9 3 R	
30290	ATYPICAL PARAPHILIA		9 3 R	
30300	AC ALCOHOL INTOX-UNSPEC		9 3 R	
30301	AC ALCOHOL INTOX-CONTIN		9	
30302	AC ALCOHOL INTOX-EPIsOD		9	
30303	AC ALCOHOL INTOX-REMISS		9	
30390	ALCOH DEP NEC/NOS-UNSPEC		9 3 R	
30391	ALCOH DEP NEC/NOS-CONTIN		9 3	
30392	ALCOH DEP NEC/NOS-EPIsOD		9 3	
30393	ALCOH DEP NEC/NOS-REMISS		9 3	
30400	OPIOID DEPENDENCE-UNSPEC		9 3 R	
30401	OPIOID DEPENDENCE-CONTIN		9 3	
30402	OPIOID DEPENDENCE-EPIsOD		9 3	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

CODE	DESCRIPTION 1/	ALTERNATE CODE ICD-9-CM	FOUND IN: 2/	NOTES, DSM-III-R
30403	OPIOID DEPENDENCE-REMISS		9 3	
30410	BARBITURAT DEPEND-UNSPEC		9 3 R	
30411	BARBITURAT DEPEND-CONTIN		9 3	
30412	BARBITURAT DEPEND-EPISOD		9 3	
30413	BARBITURAT DEPEND-REMISS		9 3	
30420	COCAINE DEPEND-UNSPEC		9 R	
30421	COCAINE DEPEND-CONTIN		9	
30422	COCAINE DEPEND-EPISOD		9	
30423	COCAINE DEPEND-REMISS		9	
30430	CANNABIS DEPEND-UNSPEC		9 3 R	
30431	CANNABIS DEPEND-CONTIN		9 3	
30432	CANNABIS DEPEND-EPISOD		9 3	
30433	CANNABIS DEPEND-REMISS		9 3	
30440	AMPHETAMIN DEPEND-UNSPEC		9 3 R	
30441	AMPHETAMIN DEPEND-CONTIN		9 3	
30442	AMPHETAMIN DEPEND-EPISOD		9 3	
30443	AMPHETAMIN DEPEND-REMISS		9 3	
30450	HALLUCINOGEN DEP-UNSPEC		9 R	
30451	HALLUCINOGEN DEP-CONTIN		9	
30452	HALLUCINOGEN DEP-EPISOD		9	
30453	HALLUCINOGEN DEP-REMISS		9	
30460	DRUG DEPEND NEC-UNSPEC		9 3 R	
30461	DRUG DEPEND NEC-CONTIN		9 3	
30462	DRUG DEPEND NEC-EPISODIC		9 3	
30463	DRUG DEPEND NEC-IN REM		9 3	
30470	OPIOID/OTHER DEP-UNSPEC		9 3	
30471	OPIOID/OTHER DEP-CONTIN		9 3	
30472	OPIOID/OTHER DEP-EPISOD		9 3	
30473	OPIOID/OTHER DEP-REMISS		9 3	
30480	COMB DRUG DEP NEC-UNSPEC		9 3	
30481	COMB DRUG DEP NEC-CONTIN		9 3	
30482	COMB DRUG DEP NEC-EPISOD		9 3	
30483	COMB DRUG DEP NEC-REMISS		9 3	
30490	DRUG DEPEND NOS-UNSPEC		9 3 R	
30491	DRUG DEPEND NOS-CONTIN		9 3	
30492	DRUG DEPEND NOS-EPISODIC		9 3	
30493	DRUG DEPEND NOS-REMISS		9 3	
30500	ALCOHOL ABUSE-UNSPEC		9 3 R	
30501	ALCOHOL ABUSE-CONTINUOUS		9 3	
30502	ALCOHOL ABUSE-EPISODIC		9 3	
30503	ALCOHOL ABUSE-IN REMISS		9 3	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

CODE	DESCRIPTION 1/	ALTERNATE CODE ICD-9-CM	FOUND IN: 2/	<u>NOTES, DSM-III-R</u>
30510	TOBACCO ABUSE-UNSPEC		9 3 R	
30511	TOBACCO ABUSE-CONTINUOUS		9 3	
30512	TOBACCO ABUSE-EPISODIC		9 3	
30513	TOBACCO ABUSE-IN REMISS		9 3	
30520	CANNABIS INTOX/ABUSE-UNS		9 3 R	
30521	CANNABIS ABUSE-CONTIN		9 3	
30522	CANNABIS ABUSE-EPISODIC		9 3	
30523	CANNABIS ABUSE-IN REMISS		9 3	
30530	HALLUC INTOX/ABUSE-UNSP		9 3 R	
30531	HALLUCINOG ABUSE-CONTIN		9 3	
30532	HALLUCINOG ABUSE-EPISOD		9 3	
30533	HALLUCINOG ABUSE-REMISS		9 3	
30540	BARBIT INTOX/ABUSE-UNSP		9 3 R	
30541	BARBITURATE ABUSE-CONTIN		9 3	
30542	BARBITURATE ABUSE-EPISOD		9 3	
30543	BARBITURATE ABUSE-REMISS		9 3	
30550	OPIOID INTOX/ABUSE-UNSP		9 3 R	
30551	OPIOID ABUSE-CONTINUOUS		9 3	
30552	OPIOID ABUSE-EPISODIC		9 3	
30553	OPIOID ABUSE-IN REMISS		9 3	
30560	COCAINE INTOX/ABUSE-UNSP		9 3 R	
30561	COCAINE ABUSE-CONTINUOUS		9 3	
30562	COCAINE ABUSE-EPISODIC		9 3	
30563	COCAINE ABUSE-IN REMISS		9 3	
30570	AMPHET INTOX/ABUSE-UNSP		9 3 R	
30571	AMPHETAMINE ABUSE-CONTIN		9 3	
30572	AMPHETAMINE ABUSE-EPISOD		9 3	
30573	AMPHETAMINE ABUSE-REMISS		9 3	
30580	ANTIDEPRESS ABUSE-UNSPEC		9	
30581	ANTIDEPRESS ABUSE-CONTIN		9	
30582	ANTIDEPRESS ABUSE-EPISOD		9	
30583	ANTIDEPRESS ABUSE-REMISS		9	
30590	DRUG INTOX/ABUSE NEC-UNS		9 3 R	
30591	DRUG ABUSE NEC-CONTIN		9 3	
30592	DRUG ABUSE NEC-EPISODIC		9 3	
30593	DRUG ABUSE NEC-IN REMISS		9 3	
30600	PSYCHOGEN MUSCULSKEL DIS		9	
30610	PSYCHOGENIC RESPIR DIS		9	
30620	PSYCHOGEN CARDIOVASC DIS		9	
30630	PSYCHOGENIC SKIN DISEASE		9	
30640	PSYCHOGENIC GI DISEASE		9	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

CODE	DESCRIPTION 1/	ALTERNATE CODE ICD-9-CM	FOUND IN: 2/	NOTES, DSM-III-R
30650	PSYCHOGENIC GU DIS NOS		9	
30651	PSYCHOGENIC VAGINISMUS		9 3 R	
30652	PSYCHOGENIC DYSMENORRHEA		9	
30653	PSYCHOGENIC DYSURIA		9	
30659	PSYCHOGENIC GU DIS NEC		9	
30660	PSYCHOGEN ENDOCRINE DIS		9	
30670	PSYCHOGENIC SENSORY DIS		9	
30680	PSYCHOGENIC DISORDER NEC		9	
30690	PSYCHOGENIC DISORDER NOS		9	
30700	STAMMERING AND STUTTERING		9 3 R	
30710	ANOREXIA NERVOSA		9 3 R	
30720	TIC DISORDER NOS		9 3 R	
30721	TRANSIENT TIC, CHILDHOOD		9 3 R	
30722	CHRONIC MOTOR TIC DIS		9 3 R	
30723	GILLES TOURETTE DISORDER		9 3 R	
30730	STEREOTYPED MOVEMENTS		9 3 R	
30740	NONORGANIC SLEEP DIS NOS		9 R	
30741	TRANSIENT INSOMNIA		9	
30742	PERSISTENT INSOMNIA		9 R	
30743	TRANSIENT HYPERSOMNIA		9	
30744	PERSISTENT HYPERSOMNIA		9 R	
30745	DISRUPT SLEEP-WAKE CYCLE		9 R	
30746	SOMNAMBULISM/SLEP TERROR		9 3 R	
30747	SLEEP STAGE DYSFUNC NEC		9 R	
30748	REPETIT SLEEP INTRUSION		9	
30749	NONORG SLEEP DIS NEC		9 3	
30750	EATING DISORDER NOS		9 3 R	
30751	BULIMIA		9 3 R	
30752	PICA		9 3 R	
30753	PSYCHOGENIC RUMINATION		9 3 R	
30754	PSYCHOGENIC VOMITING		9 3	
30759	EATING DISORDER NEC		9	
30760	ENURESIS		9 3 R	
30770	ENCOPRESIS		9 3 R	
30780	PSYCHOGENIC PAIN NOS		9 3 R	
30781	TENSION HEADACHE		9	
30789	PSYCHOGENIC PAIN NEC		9	
30790	SPECIAL SYMPTOM NEC/NOS		9 R	
30800	STRESS REACT, EMOTIONAL		9	
30810	STRESS REACTION, FUGUE		9	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
30820	STRESS REACT, PSYCHOMOT		9	
30830	ACUTE STRESS REACT NEC		9 3	
30840	STRESS REACT, MIXED DIS		9	
30890	ACUTE STRESS REACT NOS		9	
30900	BRIEF DEPRESSIVE REACT		9 3 R	
30910	PROLONG DEPRESSIVE REACT		9	
30920	ADJUST REACT/OTH EMOTION		9	
30921	SEPARATION ANXIETY		9 3 R	
30922	EMANCIPATION DISORDER		9	
30923	ACADEMIC/WORK INHIBITION		9 3 R	
30924	ADJ REACT-ANXIOUS MOOD		9 3 R	
30928	ADJ REACT-MIXED EMOTION		9 3 R	
30929	ADJ REACT-EMOTION NEC		9	
30930	ADJUST REACT-CONDUCT DIS		9 3 R	
30940	ADJ REACT-EMOTION/CONDUCT		9 3 R	
30980	OTHER ADJUST REACTION		9	
30981	PROLONG POSTTRAUM STRESS		9 3	
30982	ADJUST REACT-PHYS SYMPT		9 R	
30983	ADJUST REACT-WITHDRAWAL		9 3 R	
30989	ADJUSTMENT REACTION NEC		9 R	
30990	ADJUSTMENT REACTION NOS		9 3 R	
31000	FRONTAL LOBE SYNDROME		9	
31010	ORGANIC PERSONALITY SYND		9 3 R	
31020	POSTCONCUSSION SYNDROME		9	
31080	NONPSYCHOT BRAIN SYN NEC		9	
31090	NONPSYCHOT BRAIN SYN NOS		9	
31100	DEPRESSIVE DISORDER NEC		9 R	
31200	UNSOCIAL AGGRESS-UNSPEC		9 3 R	
31201	UNSOCIAL AGGRESSION-MILD		9	
31202	UNSOCIAL AGGRESSION-MOD		9	
31203	UNSOCIAL AGGRESS-SEVERE		9	
31210	UNSOCIAL UNAGGRESS-UNSP		9 3	
31211	UNSOCIAL UNAGGRESS-MILD		9	
31212	UNSOCIAL UNAGGRESS-MOD		9	
31213	UNSOCIAL UNAGGR-SEVERE		9	
31220	SOCIAL CONDUCT DIS-UNSP		9 R	
31221	SOCIAL COND DIS-UNAGGRES		9 3	
31222	SOCIAL CONDUCT DIS-MOD		9	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
CDER ITEMS 50a, 51a, 52a, and 53a  
AVAILABLE EFFECTIVE JULY 1, 1988

CODE	DESCRIPTION 1/	ALTERNATE CODE ICD-9-CM	FOUND IN: 2/	NOTES, DSM-III-R
31223	SOCIAL COND DIS-AGGRESS		9 3	
31230	IMPULSE CONTROL DIS NOS		9	
31231	PATHOLOGICAL GAMBLING		9 3 R	
31232	KLEPTOMANIA		9 3 R	
31233	PYROMANIA		9 3 R	
31234	INTERMITT EXPLOSIVE DIS		9 3 R	
31235	ISOLATED EXPLOSIVE DIS		9 3	
31239	IMPULSE CONTROL DIS NEC		9 3 R	
31240	MIX DIS CONDUCT/EMOTION		9	
31280	OTHER CONDUCT DISTURB		9	
31290	CONDUCT DISTURBANCE NOS		9 3 R	
31300	OVERANXIOUS DISORDER		9 3 R	
31310	MISERY & UNHAPPINESS DIS		9	
31320	SENSITIVITY & WITHDRAWAL		9	
31321	SHYNESS DISORDER-CHILD		9 3 R	
31322	INTROVERTED DIS-CHILD		9 3	
31323	ELECTIVE MUTISM		9 3 R	
31330	RELATIONSHIP PROBLEMS		9	
31380	OTH EMOTIONAL DIS CHILD		9	
31381	OPPOSITIONAL DISORDER		9 3 R	
31382	IDENTITY DISORDER		9 3 R	
31383	ACADEMIC UNDERACHIEVMENT		9	
31389	EMOTIONAL DIS CHILD NEC		9 3 R	
31390	EMOTIONAL DIS CHILD NOS		9	
31400	ATTN DEFIC NONHYPERACT		9 3 R	
31401	ATTN DEFICIT W HYPERACT		9 3 R	
31410	HYPERKINET W DEVEL DELAY		9	
31420	HYPERKINETIC CONDUCT DIS		9	
31480	OTHER HYPERKINETIC SYND		9 3	
31490	HYPERKINETIC SYND NOS		9	
31500	READING DISORDER NOS		9 3 R	
31501	ALEXIA		9	
31502	DEVELOPMENTAL DYSLEXIA		9	
31509	READING DISORDER NEC		9	
31510	ARITHMETICAL DISORDER		9 3 R	
31520	OTH LEARNING DIFFICULTY		9	
31530	SPEECH/LANGUAGE DISORDER		9	
31531	DEVELOPMENT LANGUAGE DIS		9 3 R	
31539	SPEECH/LANGUAGE DIS NEC		9 3 R	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
CDER ITEMS 50a, 51a, 52a, and 53a  
AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
31540	COORDINATION DISORDER		9 R	
31550	MIXED DEVELOPMENT DIS		9 3	
31580	DEVELOPMENT DELAYS NEC		9 R	
31590	DEVELOPMENT DELAY NOS		9 3 R	
31600	PSYCHIC FACTOR W OTH DIS		9 3 R	
31700	MILD MENT RET WO BEH SYM		9 3 R	
31701	MILD MENT RET W BEH SYMP	31700	3	
31800	MOD MENT RET WO BEH SYMP		9 3 R	
31801	MOD MENT RET W BEH SYMPT	31800	3	
31810	SEV MENT RET WO BEH SYMP		9 3 R	
31811	SEV MENT RET W BEH SYMPT	31810	3	
31820	PROF MENT RET WO BEH SYM		9 3 R	
31821	PROF MENT RET W BEH SYMP	31820	3	
31900	MENT RET NOS WO BEH SYMP		9 3 R	
31901	MENT RET NOS W BEH SYMPT	31900	3	
32700	BARBITURATE/HYPNOT INTOX	30540	3	
32701	BARBITUR/HYPNOT WITHDRAW	29200	3	
32702	BARBITUR/HYPNOT DELIRIUM	29200	3	
32704	BARBIT/HYPN AMNESTIC DIS	29283	3	
32710	OPIOID INTOXICATION	30550	3	
32711	OPIOID WITHDRAWAL	29200	3	
32720	COCAINE INTOXICATION	30560	3	
32730	AMPHETAMINE INTOXICATION	30570	3	
32731	AMPHETAMINE WITHDRAWAL	29200	3	
32732	AMPHETAMINE DELIRIUM	29281	3	
32735	AMPHETAMINE DELUSION DIS	29211	3	
32740	PHENCYCLIDINE INTOXICAT	30590	3	
32742	PHENCYCLIDINE DELIRIUM	29281	3	
32749	PHENCYCLIDINE ORGANIC DI	29290	3	
32755	HALLUCINOG DELUSION DIS	29211	3	
32756	HALLUCINOG HALLUCINOSIS	30530	3	
32757	HALLUCINOG AFFECTIVE DIS	29284	3	
32760	CANNABIS INTOXICATION	30520	3	
32765	CANNABIS DELUSIONAL DIS	29211	3	
32771	TOBACCO WITHDRAWAL	29200	3	
32780	CAFFEINE INTOXICATION	30590	3	
32790	OTHER DRUG INTOX	30590	3	

DSM CODES FOR MENTAL DISORDERS AXES I AND II  
 CDER ITEMS 50a, 51a, 52a, and 53a  
 AVAILABLE EFFECTIVE JULY 1, 1988

<u>CODE</u>	<u>DESCRIPTION 1/</u>	<u>ALTERNATE CODE ICD-9-CM</u>	<u>FOUND IN: 2/</u>	<u>NOTES, DSM-III-R</u>
32791	OTHER DRUG WITHDRAWAL	29200	3	
32792	OTHER DRUG DELIRIUM	29281	3	
32793	OTHER DRUG DEMENTIA	29282	3	
32794	OTHER DRUG AMNESTIC DIS	29283	3	
32795	OTHER DRUG DELUSION DIS	29211	3	
32796	OTHER DRUG HALLUCINOSIS	29212	3	
32797	OTHER DRUG AFFECTIVE DIS	29284	3	
32798	OTHER DRUG PERSONAL DIS	29289	3	
32799	OTHER DRUG ORGANIC DIS	29290	3	
32840	PHENCYCLIDINE ABUSE-UNSP	30590	3	
32841	PHENCYCLIDINE ABUSE-CONT	30591	3	
32842	PHENCYCLIDINE ABUSE-EPIS	30592	3	
32843	PHENCYCLIDINE ABUSE-REM	30593	3	
78050	SLEEP DISTURB ORGANIC		9 R	NEW
78054	PRIMARY HYPERSOMNIA		9 R	NEW
79990	DIAGNOSIS DEFERRED		9 3	

<sup>1</sup> THE DESCRIPTION IS THE 24 CHARACTER ABBREVIATION SPECIFIED BY THE AMERICAN HOSPITAL ASSOCIATION.

<sup>2</sup> THE ENTRIES FOUND IN THESE COLUMNS INDICATE THE PRESENCE OR ABSENCE OF THE DISORDERS IN EACH OF THE THREE DIAGNOSTIC CODING SYSTEMS.

A "9" INDICATES PRESENCE IN ICD-9-CM  
 A "3" INDICATES PRESENCE IN DSM-III  
 An "R" INDICATES PRESENCE IN DSM-III-R

---

CHRONIC MAJOR MEDICAL CONDITION

---

54a.-59a. CONDITION TYPE

These items indicate the presence of major, chronic medical problems that limit or impede the client or significantly impact the provision of service. Using ICD-9-CM code(s), specifically list the client's significant medical condition(s). Do not list the AAMD diagnoses, the DSM-III-R diagnoses, nor the causes of Mental Retardation (e.g., phenylketonuria.) Do not list acute, self-limiting illnesses (such as pneumonia, measles, etc. nor any static nonlimiting condition (such as acne). List only those major conditions that are chronic and require continued medical follow-up or treatment and have a significant impact on the client's functioning. Such conditions include, but are not limited to, diabetes mellitus, hypertension, congenital or arteriosclerotic heart disease, chronic upper respiratory infections, etc.

Because of the significant impact of chronic hepatitis or the presence of its carrier state, the following hepatitis coding should be included among the client's Major Medical Conditions. Please use the following ICD-9-CM codes to indicate immune status for Hepatitis B for each client:

- 070.3     Viral Hepatitis B
- 070.30    Hepatitis B susceptible
- 070.31    Hepatitis B immune
- 070.32    Hepatitis B carrier
- 070.33    Hepatitis B vaccination in progress
- 070.34    Hepatitis B immune status unknown

**When coding Condition Type:**

Enter the appropriate ICD-9-CM code as listed above Hepatitis in Item 54a. **MANDATORY FOR DEVELOPMENTAL CENTER CLIENTS.**

Enter ICD-9-CM codes in items 55a through 59a, using as many items as necessary, to record the client's Major Medical Condition(s other than Hepatitis.

If the "hard copy" of the CDER form is to be retained in client's record and if it is desired, write the name of condition in the "specify" space provided.

**NON-DEVELOPMENTAL CENTER CLIENTS ONLY:** If the client has no major medical condition and immune status for Hepatitis is not being entered, enter 000.00 in Item 54a and leave other items in this section (including Condition Impact items) blank.

Examples of Coding Type of Chronic Major Medical Conditions

1. Client who is a carrier of Hepatitis B

<u>Condition Type(s)</u> <u>(Specify)</u>	<u>ICD-9-CM Code</u>
<u>Hepatitis B Carrier</u>	<u> 0 7 0 </u> o <u> 3 2 </u>
_____	_ _ _  o  _ _
_____	_ _ _  o  _ _

2. Client with two major chronic medical conditions and unknown Hepatitis B immune status.

<u>Condition Type(s)</u> <u>(Specify)</u>	<u>ICD-9-CM Code</u>
54a. <u>Hepatitis B immune status</u> <u>unknown</u>	<u> 0 7 0 </u> o <u> 3 4 </u>
<u>Hypertension (benign)</u>	<u> 4 0 1 </u> o <u> 1 _ </u>
<u>Atherosclerosis (of Aorta)</u>	<u> 4 4 0 </u> o <u> 0 _ </u>
_____	_ _ _  o  _ _

54b.-59b. CONDITION IMPACT

This refers to the extent or degree to which the major chronic medical condition(s) affects the level of supervision/care required for and/or program placement of the individual

Enter one of the appropriate codes as listed below in the spaces provided.

Condition Impact Codes

- 0 No evidence of impairment
- 1 Mild . . Condition requires some special attention when planning for the client's placement and/or some extra supervision/care
- 2 Moderate . Condition has a major impact upon the ability to obtain an appropriate placement for the client and/or requires a considerable amount of supervision/care
- 3 Severe . Condition is so substantial that it is exceedingly difficult to find an appropriate placement for the client and/or constant supervision/care is required
- 9 Condition suspected, impact undetermined

If the client has no chronic medical condition, leave these items 54b-59b blank.

If the client has a chronic medical condition, but this condition does not affect level of supervision required and/or program placement, code the client "0"--"No evidence of impairment."

If the client has a major medical condition, enter the code which represents the degree of impact on supervision/care and/or placement

Example of Coding Condition Impact for Chronic Major Medical Condition

This is an example of coding a client whose Hepatitis B immune status is unknown (therefore no evidence of impairment), whose hypertension requires some special attention (mild impact), and whose heart disease requires a considerable amount of care (moderate impact).

Condition Impact

54b. |0|  
55b. |1|  
56b. |2|  
57b. | |  
58b. | |  
59b. | |  
60b. | |

Etiological Classification (cont.)

AAMD Code	VI	ICD-9-CM Code
	"Light-for-dates" without mention of fetal malnutrition	764.0
	"Light-for-dates" with signs of fetal malnutrition	764.1
	Fetal malnutrition without mention of "light-for-dates"	764.2
	Fetal growth retardation, unspecified	764.9
63	Disorders relating to long gestation and high birthweight	766
	631 Exceptionally large baby	766.0
	632 Other "heavy-for-dates" infants	766.1
67	Maternal nutritional disorders	760.4
68	Other (unspecified) conditions originating in the perinatal period	**
69	Other (specified)	***

VII

70 FOLLOWING PSYCHIATRIC DISORDER (SPECIFY)

- 71 Psychosis (refer to DSM III-R)
- 79 Other psychiatric disorder

VIII

80 ENVIRONMENTAL INFLUENCES

- 81 Psychosocial disadvantage
- 82 Sensory deprivation (specify)
- 88 Other (unspecified)
- 89 Other (specify)

IX

90 OTHER CONDITIONS

- 91 Defects of special senses (specify) see pp. 151-152  
of AAMD, 1983 Revision). For Unspecified Mental  
Retardation, use ICD-9-CM Code 319.

- \*\* Other unspecified disease which would be categorized under the  
general classification heading. Refer to ICD-9-CM for code.
- \*\*\* Other specified disease categorized under the general classifi-  
cation heading. Refer to ICD-9-CM for code for specific  
disease.